



Jinan Guotai Bearing Co., Ltd



23196CAME4 Bearing 2D drawings and 3D CAD models

480 x 31.102 Inch | 790 Millimeter x 9.764 Inch |
248 Millimeter NSK 23196CAME4 Spherical
Roller Bearings

Bearing No. 23196CAME4

| | |
|---------------------------|---|
| Category | Spherical Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | NSK |
| Minimum Buy Quantity | N/A |
| Weight | 490 |
| EAN | 0029176075490 |
| Product Group | B04311 |
| Internal Clearance | C0-Medium |
| Mounting Method | Shaft Mount |
| Rolling Element | Spherical Roller Bearing |
| Bore Profile | Straight |
| Cage Material | Bronze |
| Enclosure | Open |
| Number of Rows of Rollers | Double Row |
| Relubricatable | Yes |
| Withdrawal Sleeve | Not Applicable |
| Inch - Metric | Metric |
| Long Description | 480MM Straight Bore; 790MM Outside Diameter; 248MM Width; C0-Medium Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable |
| Category | Spherical Roller Bearing |



Jinan Guotai Bearing Co., Ltd

| | |
|--------------------------|---|
| UNSPSC | 31171510 |
| Harmonized Tariff Code | 84823080 |
| Noun | Bearing |
| Keyword String | Spherical |
| Manufacturer URL | http://www.nskamericas.com |
| Manufacturer Item Number | 23196CAME4 |
| Weight / LBS | 490 |
| D | 31.102 Inch 790 Millimeter |
| B | 9.764 Inch 248 Millimeter |
| d | 18.898 Inch 480 Millimeter |
| Adapter Part Number | Not Applicable Inch Not Applicable Millimeter |
| Y3 | 2.2 |
| hidYobi | 23196CAME4 |
| LangID | 1 |
| Y1 | 2.2 |
| D_ | 790 |
| Y2 | 3.3 |
| Macha rpm | 0 |
| C | 6050 |
| B_ | 248 |
| da min | 516 |
| hidTable | ecat_NSSPHR |
| Oil rpm | 380 |
| da max | 0 |
| Y0 | 2.2 |
| mass | 475 |
| GRS rpm | 300 |
| ra | 6 |
| TSR rpm | 400 |
| C0 | 11700 |
| DE_ | 713.385 |



Jinan Guotai Bearing Co., Ltd

| | |
|------------|------------|
| X0 | 1 |
| Prod_Type3 | SRB_CTB_CB |
| X1 | 1 |
| d | 480 |
| X2 | 0.67 |
| SIR | 99 |
| e | 0.31 |
| DA_ | 77.5 |
| bomp | 23196CAME4 |
| Z_ | 21 |
| ALP2 | 30 |
| ALP1 | 11 |
| ALP3 | 0 |
| D_a max | 754 |
| D_a min | 688 |
| yobi | 23196CAME4 |
| ALPHA_ | 0.201 |
| SDM_ | 637.441 |
| r | 7.5 |
| SBRG | 31 |
| DI_ | 561.497 |